

Amendment to 2024 International Existing Building Code (IEBC) Section 101

Submitted by: International Existing Building Code Committee

CHAPTER 1 SCOPE AND ADMINISTRATION

Notes:

- 1. <u>For reserved sections herein, refer to the amendments and requirements in Chapter 1 of the International Building Code for these code requirements.</u>
- 2. <u>For sections that remain unchanged from base code, the term "see this section of the 2024 IEBC"</u> shall refer to the unchanged base code.

101.1 Title

These regulations shall be known as the <u>International Existing Building Code as Amended by the City of Phoenix Existing Building Code of [NAME OF JURISDICTION]</u>, hereinafter referred to as "this code." <u>These regulations are one document of the overall Phoenix Building Construction Code as defined by the adopting ordinance.</u>

101.2 Scope. - See this section of the 2024 IEBC

101.2.1 Appendices. - See this section of the 2024 IEBC

101.2.2 Application of fire code.

Where work regulated by this code is also regulated by the construction requirements for existing buildings in Chapter 11 of the <u>Phoenix International</u> Fire Code, such work shall comply with applicable requirements in both codes.

101.3 Purpose. - See this section of the 2024 IEBC

101.4 Applicability. - See this section of the 2024 IEBC

101.4.1 Buildings not previously occupied. – See this section of the 2024 IEBC

101.4.2 Buildings previously occupied. - See this section of the 2024 IEBC

101.5 Safeguards during construction. - Reserved

101.6 Correction of violations of other codes. - See this section of the 2024 IEBC

Section 102 Applicability - Reserved

Section 103 Code compliance agency - Reserved

Section 104 Duties and powers of code official - Reserved

Section 105 Permits - Reserved

Section 106 Construction documents <u>- Reserved</u>
Section 107 Temporary uses, equipment and systems - Reserved
Section 108 Fees - Reserved
Section 109 Inspections - Reserved
Section 110 Certificate of occupancy - Reserved
Section 111 Service utilities - Reserved
Section 112 Means of appeals - Reserved
Section 113 Violations - Reserved
Section 114 Stop work order - Reserved
Section 115 Unsafe structures and equipment - Reserved
Section 116 Emergency measures - Reserved
Section 117 Demolition - Reserved
Justification: All the adopted and amended building code documents taken together are known as the Phoenix Building Construction Code. Each code document is a separate document of the Phoenix Building Construction Code. This document is the International Existing Building Code as Amended by the City of Phoenix. This document is intended to apply where a code or referenced standard identifies the International Existing Building Code as being applicable.
The reserved provisions are contained in the Phoenix Building Construction Code – Administrative Provisions (Chapter 1 of the International Building Code).
Cost Impact: No cost impact.
Approved in previous 2018 Code Adoption process: YES NO
ACTION TAKEN:
2024 Code Committee Date: 01/29/2025
Development Advisory Board (DAB) Subcommittee Date: 02/27/2025
Approved as submitted Modified and approved Denied No action taken
Development Advisory Board (DAB) Date:
Approved as submitted Modified and approved Denied No action taken
Transportation, Infrastructure and Planning Subcommittee Date: ☐ Approved as submitted Modified and approved Denied No action taken
City Council Action Date:



Amendments to 2024 International Existing Building Code (IEBC) Section 202	
Submitted by: International Existing Building Code Committee	
SECTION 202 GENERAL DEFINITIONS	
[A] HISTORIC BUILDING. Any building or structure that is one or more of the following:	
 Listed, or certified as eligible for listing, by the State Historic Preservation Officer or the Keeper of the National Register of Historic Places, in the National Register of Historic Places. Designated as historic under an applicable state or local law. 	
3. Certified as a contributing resource within a National Register, state designated or	
locally designated historic district. 4. Recommended by the City of Phoenix Historic Preservation Officer for listing on the Phoenix Historic Property Register either as an individually eligible property or as a contributing resource to an eligible historic district.	
Justification: This requirement is consistent with state and federal practices where eligible historic properties are treated the same as listed properties for design review purposes.	
Cost Impact: Minimal cost impact. This will reduce the financial and technical infeasibility for historic eligible projects.	
Approved in previous Code Adoption process:	
ACTION TAKEN:	
2024 Code Committee Date: 01/22/2025	
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 02/27/2025	
Development Advisory Board (DAB) Subcommittee ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	
Development Advisory Board (DAB) Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	
Transportation, Infrastructure and Planning Subcommittee Date:	
Approved as submitted Modified and approved Denied No action taken	
City Council Action Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	



Amendment to 2024 International Existing Building Code (IEBC) Section 306.7.12

Submitted by: International Existing Building Code Committee

306.7.12 Toilet rooms.

Where it is *technically infeasible* to alter existing toilet rooms to be accessible, one accessible single-user toilet room or one accessible family or assisted-use toilet room constructed in accordance with Section 1110.2.1 of the *International Building Code* is permitted. This toilet room shall be located on the same floor and in the same area as the existing toilet rooms. At the inaccessible toilet rooms, directional signs indicating the location of the nearest such toilet room shall be provided. These directional signs shall include the International Symbol of Accessibility, and sign characters shall meet the visual character requirements in accordance with ICC A117.1. One of two or more fixtures (water closets and/or urinals) may be removed to create space for one wheelchair accessible toilet compartment in each existing toilet room. The resulting reduction in water closets is permitted to create a conforming wheelchair accessible toilet compartment in each existing toilet room. Alterations under this section shall not reduce other accessibility requirements including, but not limited to, required clear floor spaces and clearances.

Justification: This supports barrier removal, an important part of the ADA law.	
Cost Impact: Reduced cost for compliance.	
Approved in previous 2018 Code Adoption process:	YES NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/15/2025
	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 02/27/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board (DAB)	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendment to 2024 International Existing Building Code (IEBC) Section 502.3

Submitted by: International Existing Building Code Committee

[BS] 502.3 Existing structural elements carrying gravity load.

Any existing gravity load-carrying structural element for which an *addition* and its related *alterations* cause an increase in design gravity loads dead, live or snow load, including snow drift effects, of more than 5 percent shall be replaced or altered as needed to carry the gravity loads required by the *International Building Code* for new structures. Any existing gravity load-carrying structural element whose vertical load-carrying capacity is decreased as part of the *addition* and its related *alterations* shall be considered to be an altered element subject to the requirements of Section 503.3. Any existing element that will form part of the lateral load path for any part of the *addition* shall be considered to be an existing lateral load-carrying structural element subject to the requirements of Section 502.3.

Exceptions:

- 1. Buildings of Group R occupancy with not more than five dwelling or sleeping units used solely for residential purposes where the existing building and the addition together comply with the conventional light-frame construction methods of the International Building Code or the provisions of the International Residential Code.
- 2. <u>Structural elements whose design gravity load combination is increased by not more than 5 percent and whose gravity load-carrying capacity has not been decreased.</u>

 <u>Determination of the percent increase shall account for the cumulative effects of additions or alterations since original construction.</u>

Cost Impact: No Cost Impact.	
Approved in previous 2018 Code Adoption process:	YES 🛛 NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/09/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 02/27/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board (DAB)	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken

Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
City Council Action	Dale.



Amendment to 2024 International Existing Building Code (IEBC) Section 503.3

Submitted by: International Existing Building Code Committee

[BS] 503.3 Existing structural elements carrying gravity load.

Any existing gravity load-carrying structural element for which an alteration causes an increase in design gravity loads dead, live or snow load, including snow drift effects, of more than 5 percent shall be replaced or altered as needed to carry the gravity loads required by the International Building Code for new structures. Any existing gravity load-carrying structural element whose gravity load-carrying capacity is decreased as part of the alteration shall be shown to have the capacity to resist the applicable design gravity loads dead, live and snow loads including snow drift effects required by the International Building Code for new structures.

Exceptions:

- Buildings of Group R occupancy with not more than five dwelling or sleeping units used solely for residential purposes where the altered building complies with the conventional light-frame construction methods of the International Building Code or the provisions of the International Residential Code.
- 2. Buildings in which the increased dead load is due entirely to the addition of a second layer of roof covering weighing 3 pounds per square foot (0.1437 kN/m2) or less over an existing single layer of roof covering.
- Structural elements whose design gravity load combination is increased by not more than
 5 percent and whose gravity load-carrying capacity has not been decreased.

 Determination of the percent increase shall account for the cumulative effects of additions
 or alterations since original construction.

gravity loads, rather than a specific list of loads, leaves it to the des loads are applicable.	11,
Cost Impact: No Cost Impact.	
Approved in previous 2018 Code Adoption process:	YES 🛛 NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/09/2025
	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 02/27/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board (DAB)	Date:
·	

☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendment to 2024 International Existing Building Code (IEBC) Section 706.2

Submitted by: International Existing Building Code Committee

[BS] 706.2 Addition or replacement of roofing or replacement of equipment.

Any existing gravity load-carrying structural element for which an *alteration* causes an increase in design gravity loads dead, live or snow load, including snow drift effects, of more than 5 percent shall be replaced or altered as needed to carry the gravity loads required by the *International Building Code* for new structures.

Exceptions:

- 1. Buildings of Group R occupancy with not more than five dwelling or sleeping units used solely for residential purposes where the altered building complies with the conventional light-frame construction methods of the International Building Code or the provisions of the International Residential Code.
- 2. Buildings in which the increased dead load is due entirely to the addition of a second layer of roof covering weighing 3 pounds per square foot (0.1437 kN/m2) or less over an existing single layer of roof covering.
- Structural elements whose design gravity load combination is increased by not more than

 5 percent and whose gravity load-carrying capacity has not been decreased.

 Determination of the percent increase shall account for the cumulative effects of additions
 or alterations since original construction.

loads are applicable.	
Cost Impact: No Cost Impact.	
Approved in previous 2018 Code Adoption process:	YES 🛛 NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/09/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 02/27/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board (DAB)	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken



Amendment to 2024 International Existing Building Code (IEBC) Section 805.2

Submitted by: International Existing Building Code Committee

[BS] 805.2 Addition or replacement of roofing or replacement of equipment.

Any existing gravity load-carrying structural element for which an *alteration* causes an increase in design <u>gravity loads</u> <u>dead</u>, <u>live or snow load</u>, <u>including snow drift effects</u>, <u>of more than 5</u> <u>percent</u> shall be replaced or altered as needed to carry the gravity loads required by the *International Building Code* for new structures. Any existing gravity load-carrying structural element whose gravity load-carrying capacity is decreased as part of the *alteration* shall be shown to have the capacity to resist the applicable design <u>gravity loads</u> <u>dead</u>, <u>live and snow loads</u>, <u>including snow drift effects</u>, required by the *International Building Code* for new structures.

Exceptions:

- Buildings of Group R occupancy with not more than five dwelling or sleeping units used solely for residential purposes where the altered building complies with the conventional light-frame construction methods of the International Building Code or the provisions of the International Residential Code.
- 2. Buildings in which the increased dead load is attributable to the addition of a second layer of roof covering weighing 3 pounds per square foot (0.1437 kN/m2) or less over an existing single layer of roof covering.
- 3. Structural elements whose design gravity load combination is increased by not more than 5 percent and whose gravity load-carrying capacity has not been decreased.

 Determination of the percent increase shall account for the cumulative effects of additions or alterations since original construction.

loads are applicable.	
Cost Impact: No cost impact.	
Approved in previous 2018 Code Adoption process:	YES 🛛 NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/09/2025
	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 02/27/2025
Approved as submitted Modified and approved Denied	☐ No action taken

Development Advisory Board (DAB)	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendment to 2024 International Existing Building Code (IEBC) Section 1103.1

Submitted by: International Existing Building Code Committee

[BS] 1103.1 Additional Gravity Loads

Any existing gravity load-carrying structural element for which an *addition* and its related *alterations* cause an increase in design gravity loads dead, live or snow load, including snow drift effects, of more than 5 percent shall be replaced or altered as needed to carry the gravity loads required by the *International Building Code* for new structures. Any existing gravity load-carrying structural element whose gravity load-carrying capacity is decreased as part of the *addition* and its related *alterations* shall be considered to be an altered element subject to the requirements of Section 805.2. Any existing element that will form part of the lateral load path for any part of the addition shall be considered to be an existing lateral load-carrying structural element subject to the requirements of Section 1103.2.

Exceptions:

- 1. Buildings of Group R occupancy with not more than five dwelling units or sleeping units used solely for residential purposes where the existing building and the addition together comply with the conventional light-frame construction methods of the International Building Code or the provisions of the International Residential Code.
- Structural elements whose design gravity load combination is increased by not more than
 5 percent and whose gravity load-carrying capacity has not been decreased.

 Determination of the percent increase shall account for the cumulative effects of additions
 or alterations since original construction.

Cost Impact: No cost Impact.	
Approved in previous 2018 Code Adoption process:	YES 🖂 NO
Tipproved in provided 2010 code statepatent process.	
ACTION TAKEN:	
2024 Code Committee	Date: 01/09/2025
	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 02/27/2025
Approved as submitted Modified and approved Denied	☐ No action taken

Development Advisory Board (DAB)	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendments to 2024 International Existing Building Code (IEBC) Section 1201.1.1
Submitted by: International Existing Building Code Committee
1201.1 Scope. This chapter is intended to provide means for the preservation of <i>historic buildings</i> . <i>Historic buildings</i> shall comply with the provisions of this chapter relating to their <i>repair</i> , <i>alteration</i> , relocation and <i>change of occupancy</i> .
1201.1.1 Preliminary meeting. If an applicant requests that a building meet the requirements of this chapter and the project is a project involving alterations and/or a change of occupancy, then the Planning and Development Department shall offer a preliminary meeting with the applicant upon payment of a fee as set forth in Appendix A.2 of Phoenix City Code, prior to the submission of a permit application. The preliminary meeting shall, to the extent possible, include the officials responsible for permit approval and enforcement with respect to the Phoenix Building Construction Code, Phoenix Fire Code and historic preservation ordinances.
Justification: This allows applicants to meet with the City to discuss code application for historic buildings and allows for greater collaboration between plan review sections in the processing of permit applications.
Cost Impact: Minimal cost impact. The objective of this meeting is to identify proactively all the code, technical and policy requirements as early as feasible.
Approved in previous Code Adoption process: YES NO
ACTION TAKEN:
2024 Code Committee Date: 1/22/2025
Approved as submitted Modified and approved Denied No action taken
Development Advisory Board (DAB) Subcommittee Date: 02/27/2025
Approved as submitted Modified and approved Denied No action taken
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken
Approved as submitted Modified and approved Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date:
Approved as submitted Modified and approved Denied No action taken
City Council Action Date:
Approved as submitted Modified and approved Denied No action taken



City Council Action

BUILDING CONSTRUCTION CODE CHANGE PROPOSAL

Amendments to 2024 International Existing Building Code (IEBC) Section 1201.4

Submitted by: International Existing Building Code Committee

[BS] 1201.4 Flood hazard areas. In *flood hazard areas*, if all proposed work, including *repairs*, work required because of a *change of occupancy*, and *alterations*, constitutes *substantial improvement*, then the *existing building* shall comply with Section 1612 of the *International Building Code*, or Section R306 of the *International Residential Code*, as applicable.

Exception: If a *historic building* will continue to be a *historic building* after the proposed work is completed, then the proposed work is not considered a *substantial improvement*. For the purposes of this exception, a *historic building* is any of the following:

- 1. Listed or preliminarily determined to be eligible for listing in the National Register of Historic Places.
- 2. Determined by the Secretary of the U.S. Department of Interior to contribute to the historical significance of a registered historic district or a district preliminarily determined to qualify as a historic district.
- 3. Designated as historic under a state or local historic preservation program that is approved by the Department of the Interior.
- 4. <u>Determined to be eligible for listing in a local historic property register, either individually or as a contributor to a historic district, by a local historic preservation program approved by the Department of the Interior.</u>

Justification: This requirement is consistent with state and federal historic properties are treated the same as listed properties for design Phoenix's historic preservation program is approved by the department.	gn review purposes.
Cost Impact: This cost-saving measure is intended to reduce infeasibility for projects.	the financial and technical
Approved in previous Code Adoption process:	∐ NO
Approved in previous Code Adoption process: X YES ACTION TAKEN:	□ NO
·· · ·	Date: 1/22/2025
ACTION TAKEN:	
ACTION TAKEN: 2024 Code Committee	Date: 1/22/2025
ACTION TAKEN: 2024 Code Committee ☐ Approved as submitted ☐ Modified and approved ☐ Denied	Date: 1/22/2025 No action taken
ACTION TAKEN: 2024 Code Committee Approved as submitted Modified and approved Development Advisory Board (DAB) Subcommittee	Date: 1/22/2025 No action taken Date: 02/27/2025
ACTION TAKEN: 2024 Code Committee Approved as submitted Modified and approved Denied Development Advisory Board (DAB) Subcommittee Approved as submitted Modified and approved Denied	Date: 1/22/2025 No action taken Date: 02/27/2025 No action taken
ACTION TAKEN: 2024 Code Committee Approved as submitted Modified and approved Denied Development Advisory Board (DAB) Subcommittee Approved as submitted Modified and approved Denied Development Advisory Board (DAB)	Date: 1/22/2025 No action taken Date: 02/27/2025 No action taken Date:

Approved as submitted Modified and approved Denied No action taken

Date:



Amendments to 2024 International Existing Building Code (IEBC) Section 1201.6
Submitted by: International Existing Building Code Committee
1201.6 Energy efficiency. Exterior alterations to a <i>historic building</i> shall be exempt from the provisions of the International Energy Conservation Code. New construction within designated historic districts shall be subject to the provisions of the International Energy Conservation Code.
Justification: Maintaining the original exterior materials of a historic building is important for a building to retain its historic status.
Cost Impact: This cost-saving measure is intended to reduce the financial and technical infeasibility of energy upgrades to the entire building.
Approved in previous Code Adoption process: YES NO
ACTION TAKEN:
2024 Code Committee Date: 1/22/2025
2024 Code Committee Date: 1/22/2025
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 02/27/2025
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 02/27/2025 Approved as submitted Modified and approved Denied No action taken
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 02/27/2025 Approved as submitted Modified and approved Denied Development Advisory Board (DAB) Date: Ozion taken Date: Ozion taken
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 02/27/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Date: Approved as submitted Modified and approved Denied No action taken
Approved as submitted Modified and approved Denied Date: 02/27/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Development Advisory Board (DAB) Approved as submitted Modified and approved Denied Date: Approved as submitted Modified and approved Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date:
Approved as submitted Modified and approved Denied Date: 02/27/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Denied No action taken Development Advisory Board (DAB) Date: Approved as submitted Modified and approved Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date: Approved as submitted Modified and approved Denied No action taken
Approved as submitted Modified and approved Denied Date: 02/27/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Development Advisory Board (DAB) Approved as submitted Modified and approved Denied Date: Approved as submitted Modified and approved Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date:



Amendments to 2024 International Existing Buildi Section 1202.2	ng Code (IEBC)
Submitted by: International Existing Building Code Committee	
1202.2 Repair and Replacement. Repair and replacement of existing or missing features using origin permitted. Partial replacement for <i>repairs</i> that match the original in shall be permitted. Glazing is subject to the requirements of Section glazing in hazardous locations shall comply with the safety glazing the <i>International Building Code</i> .	configuration, height, and size n 1203.8. Replacement
Exception: Glass block walls, louvered windows, and jalousies	repaired with like materials.
Justification: This requirement was previously amended in the 20 is consistent with departmental policies.	18 IEBC section 1202.2, and
Cost Impact: This cost-saving measure is intended to reduce the f infeasibility of uncomplicated projects.	inancial and technical
Approved in previous Code Adoption process:	□ NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/29/2025
Approved as submitted Modified and approved Denied	No action taken Date: 02/27/2025
Development Advisory Board Technical Subcommittee ☐ Approved as submitted ☐ Modified and approved ☐ Denied	□ No action taken
Development Advisory Board	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Downtown, Aviation, Economy and Innovation Subcommittee	Date:
Approved as submitted Modified and approved Denied	☐ No action taken
City Council Action ☐ Approved as submitted ☐ Modified and approved ☐ Denied	Date: ☐ No action taken
☐ Approved as submitted ☐ infoditied and approved ☐ Defiled	



Amendments to 2024 International Existing Building Code (IEBC) **Section 1203.3** Submitted by: International Existing Building Code Committee 1203.3 Means of egress and emergency escape and rescue. Where, in the opinion of the code official, there is sufficient width and height for a person to pass through the opening or traverse the means of egress, existing window and door openings, and corridor and stairway widths are not required to meet the widths required by the International Building Code or this code. Where approved by the code official, the front or main exit doors need not swing in the direction of the path of exit travel, provided that other approved means of egress having sufficient capacity to serve the total occupant load are provided. Justification: This requirement was previously amended in the 2018 IEBC section 1203.3, and is consistent with departmental policies. This clarifies that this sections also applies to emergency escape and rescue openings. Cost Impact: This cost-saving measure is intended to reduce the financial and technical infeasibility for projects. **Approved in previous Code Adoption process: ⊠** YES NO **ACTION TAKEN:** 2024 Code Committee Date: 01/29/2025 Approved as submitted \square Modified and approved \square Denied ☐ No action taken **Development Advisory Board Technical Subcommittee** Date: 02/27/2025 Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board** Date: ☐ No action taken ☐ Approved as submitted ☐ Modified and approved ☐ Denied Downtown, Aviation, Economy and Innovation Subcommittee Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken **City Council Action** Date: Approved as submitted Modified and approved Denied ☐ No action taken



Amendments to 2024 International Existing Buildi Section 1204.6	ng Code (IEBC)
Submitted by: International Existing Building Code Committee	
1204.6 Means of egress and emergency escape and rescue. Existing window and door openings and corridor and stairway width be acceptable for nonhistoric buildings under these provisions shall in the opinion of the code official, there is sufficient width and heigh the opening or traverse the exit and that the capacity of the exit systoccupant load, or where other operational controls to limit occupant official.	be <i>approved</i> , provided that, t for a person to pass through stem is adequate for the
Justification: This requirement was previously amended in 2018 If consistent with departmental policies. This clarifies that this section escape and rescue openings.	
Cost Impact: This cost-saving measure is intended to reduce the f infeasibility for projects.	inancial and technical
Approved in previous Code Adoption process:	□ NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/29/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board Technical Subcommittee	Date: 02/27/2025
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board ☐ Approved as submitted ☐ Modified and approved ☐ Denied	Date: ☐ No action taken
Downtown, Aviation, Economy and Innovation Subcommittee	Date:
Approved as submitted Modified and approved Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendments to 2024 International Existing Building Code (IEBC) Section 1204.14
Submitted by: International Existing Building Code Committee
1204.14 Natural light. Where it is determined by the <i>code official</i> and the historic preservation officer that compliance with the natural light requirements of Section 1010.1 will lead to loss of historic character or historic materials in the building, the existing level of natural lighting shall be considered to be acceptable.
Justification: This requirement was previously amended in 2018 IEBC section 1204.14, and is consistent with departmental policies. The Historic Preservation Officer is a better authority for determining loss of historic character.
Cost Impact: This cost-saving measure is intended to reduce the financial and technical infeasibility for projects.
Approved in previous Code Adoption process: YES NO
ACTION TAKEN:
2024 Code Committee Date: 01/29/2025 ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken
Development Advisory Board Technical Subcommittee Date: 02/27/2025
Approved as submitted Modified and approved Denied No action taken
Development Advisory Board Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken
Downtown, Aviation, Economy and Innovation Subcommittee Date:
Downtown, Aviation, Economy and Innovation Subcommittee ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken
Downtown, Aviation, Economy and Innovation Subcommittee Date: