

Amendment to 2024 International Residential Code (IRC) Chapter 1

Submitted by: International Residential Code Committee

CHAPTER 1 SCOPE AND ADMINISTRATION

Notes:

1. <u>For reserved sections herein, refer to the amendments and requirements in Chapter 1 of the International Building Code for these code requirements.</u>

2. <u>For sections that remain unchanged from base code, the term "see this section of the</u> 2024 IRC" shall refer to the unchanged base code.

R101.1 Title. These provisions shall be known as the <u>International Residential Code</u> Residential Code for One- and Two-Family Dwellings of as amended by the city of Phoenix and shall be cited as such and will be referred to herein as "this code." These regulations are one document of the overall Phoenix Building Construction Code as defined by the adopting ordinance.

R101.2 Scope. The provisions of this code <u>or the International Building Code</u> shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, removal and demolition of detached one- and two-family dwellings and townhouses not more than three stories above grade plane in height, with a separate means of egress and their accessory structures not more than three stories above grade plane in height.

Exception: The following shall be permitted to be constructed in accordance with this code. where provided with an automatic sprinkler system complying with Section P2904:

- 1. Live/work units located in <u>one- and two-family dwellings</u>, <u>or</u> townhouses and complying with the requirements of Section 508.5 of the International Building Code.
- 2. Owner-occupied lodging houses with five or fewer questrooms.
- 3. A care facility with five or fewer persons receiving custodial care within a dwelling unit.
- 4. A care facility with five or fewer persons receiving medical care within a dwelling unit.
- 5. A day care facility for five or fewer persons of any age receiving care within a dwelling unit.

R101.2.1 Appendices. - See this section of the 2024 IRC

R101.3 Purpose. - See this section of the 2024 IRC

SECTION R102 APPLICABILITY – Reserved, except as noted below.

R102.6.1 Additions, alterations or repairs. - See this section of the 2024 IRC

SECTION R103 CODE COMPLIANCE AGENCY – Reserved.

SECTION R104 DUTIES AND POWERS OF THE BUILDING OFFICIAL - Reserved.

SECTION R105 PERMITS – Reserved.		
SECTION R106 CONSTRUCTION DOCUMENTS – Reserved.		
SECTION R107 TEMPORARY STRUCTURES AND USES – Reserved.		
SECTION R108 FEES - Reserved.		
SECTION R109 INSPECTIONS – Reserved.		
SECTION R110 CERTIFICATE OF OCCUPANCY – Reserved.		
SECTION R111 SERVICE UTILITIES – Reserved.		
SECTION R112 MEANS OF APPEALS – Reserved.		
SECTION R113 VIOLATIONS – Reserved.		
SECTION R114 STOP WORK ORDER – Reserved.		
Justification: All the adopted and amended building code documents taken together are known as the Phoenix Building Construction Code. Each code document is a separate document of the Phoenix Building Construction Code. This document is the International Residential Code as Amended by the City of Phoenix. This document is intended to apply where a code or referenced standard identifies the International Residential Code as being applicable. The reserved provisions are contained in the Phoenix Building Construction Code – Administrative Provisions (Chapter 1 of the International Building Code).		
Administrative Provisions (Chapter 1 of the International Building Code).		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN:		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025 Approved as submitted Modified and approved Denied No action taken		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025 Approved as submitted Modified and approved Denied No action taken		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Development Advisory Board (DAB)		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Date: No action taken Development Advisory Board (DAB) Date: Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Date: Approved as submitted Modified and approved Denied No action taken		
Administrative Provisions (Chapter 1 of the International Building Code). Cost Impact: No cost impact Approved in previous 2018 Code Adoption process: YES NO ACTION TAKEN: 2024 Code Committee Date: 01/24/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025 Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Date: Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Date: Approved as submitted Modified and approved Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date:		



Amendment to 2024 International Residential Code (IRC) Chapter 2: Definition: Standard Plans		
Submitted by: International Residential Code Committee		
SECTION R202 DEFINITIONS		
[RB] STANDARD PLANS. Plans authorized by the Planning & Development Department to be used in construction on a repetitive basis. Standard plans may include options allowing variations to the building design that may alter the interior and exterior appearance.		
Justification: The definition allows standard plans to be used in lieu of separate submittals for each production home.		
Cost Impact: The use of standard plans reduces the cost for the department and the home builders.		
Approved in previous 2018 Code Adoption process:		
ACTION TAKEN:		
2024 Code Committee Date: 12/6/2024		
Approved as submitted Modified and approved Denied No action taken		
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025		
Approved as submitted Modified and approved Denied No action taken		
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken		
Transportation, Infrastructure and Planning Subcommittee Date:		
Approved as submitted Modified and approved Denied No action taken		
Approved as submitted Modified and approved Denied No action taken City Council Action Date:		



Amendment to 2024 International Residential Code (IRC) Section R301.1.5		
Submitted by: International Residential Code Committee		
R301.1.5 Access to a public way. All buildings shall be located on lots fronting a public way or other approved access to a public way. Such approved access shall be recorded with the county of Maricopa, with the approval of the building official or recorded on the approved plot plat in accordance with the Phoenix City Code. The access shall be in compliance with the Phoenix Fire Code.		
Justification: Clarifies access requirements for all lots. Carried forward from the previous amendments.		
Cost Impact: No cost impact. No additional cost impact above what was approved in the 2012 & 2018 amendments.		
Approved in previous 2018 Code Adoption process:		
ACTION TAKEN:		
2024 Code Committee Date: 01/16/2025		
Approved as submitted Modified and approved Denied No action taken		
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025		
Approved as submitted Modified and approved Denied No action taken		
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken		
Transportation, Infrastructure and Planning Subcommittee Date:		
Approved as submitted Modified and approved Denied No action taken		
City Council Action Date:		
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken		



Amendment to 2024 International Residential Code (IRC) Section R301.1.6		
Submitted by: International Residential Code Committee R301.1.6 Lot Corner Identification. In construction applications where legally surveyed lot corner identification markers are not readily verifiable or are missing, the building official, when deemed necessary, shall require lot boundary markers to be surveyed and permanently identified in accordance with State law at the owner's or applicant's expense. The survey shall be executed by a registrant licensed to do such work by the Arizona State Board of Technical Registration.		
Justification: Often construction is started without locating the legal corners of a lot, leading to disputes after substantial completion of the work. This requirement would limit such cases and ensure compliance to both the Residential Code and the Zoning Ordinance.		
Cost Impact: Minimal cost impact. While there could be a possible cost for a survey, this code amendment could save costs by preventing construction in a prohibited location. The same text is used in this proposal as approved on 12-01-06, 5-15-13 and 11-8-17 amendments.		
Approved in previous 2018 Code Adoption process:		
ACTION TAKEN:		
2024 Code Committee Date: 01/16/2025		
Approved as submitted Modified and approved Denied No action taken		
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025		
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Date:		
Approved as submitted Modified and approved Denied No action taken		
Transportation, Infrastructure and Planning Subcommittee Date:		
Approved as submitted Modified and approved Denied No action taken		
City Council Action Date:		
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken		



Amendment to 2024 International Residential Code (IRC) Section R301.2 and Table R301.2

Submitted by: International Residential Code Committee

R301.2 Climatic and geographic design criteria.

Buildings shall be constructed in accordance with the provisions of this code as limited by the provisions of this section. Additional criteria shall be established by the local jurisdiction and set forth in table R301.2.

Table R301.2

CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA	
(Due to space limitations, the table co	uld not be reproduced, only the values
are listed)	
Ground snow load°	N/A
Wind speed (mph):	<u>105</u>
Topographic effectsk:	NO NO
Special wind region:	NO NO
Windborne debris zone™	NO NO
Seismic design category ^f :	<u>B</u>
Weathering ^a .	<u>Negligible</u>
Frost line depthb:	<u>0</u>
Termite ^c :	Moderate to heavy
Winter design temperature e.	None to slight
Ice barrier underlayment required ^h	<u>No</u>
Flood hazards ⁹	See Phoenix city code
Air freezing index ⁱ	<u>N/A</u>
Mean annual temperature	<u>71.2°F</u>

MANUAL J DESIGN CRITERIA

Refer to Section M1401.3 and N1103.7 of the 2024 IRC

Elevation:

Latitude:

Winter heating:

Summer cooling:

Altitude correction factor:

-Indoor temperature design:

-Design temperature cooling:

Heating temperature difference:

Cooling temperature difference:

Wind velocity heating:

Wind velocity cooling:

Coincident wet bulb:

-Daily range:

Winter humidity:

Summer humidity:

For SI: 1 pound per square foot = 0.0479 kPa, 1 mike per hour = 0.447 m/s.

- a. Where weathering requires a higher strength concrete or grade of masonry than necessary to satisfy the structural requirements of this code, the frost line depth strength required for weathering shall govern. The weathering column shall be filled in with the weathering index, "negligible," "moderate" or "severe" for concrete as determined from Figure R301.2(4). The grade of masonry units shall be determined from ASTM C34, C55, C62, C73, C90, C129, C145, C216 or C652.
- b. Where the frost line depth requires deeper footings than indicated in Figure R403.1(1), the frost line depth strength required for weathering shall govern. The jurisdiction shall fill in the frost line depth column with the minimum depth of footing below finish grade.
- c. The jurisdiction shall fill in this part of the table to indicate the need for protection depending on whether there has been a history of local subterranean termite damage.
- d. The jurisdiction shall fill in this part of the table with the wind speed from the basic wind speed map [Figure R301.2(5) A]. Wind exposure category shall be determined on a site specific basis in accordance with Section R301.2.1.4.
- e. The outdoor design dry-bulb temperature shall be selected from the columns of 971 /2-percent values for winter from Appendix D of the International Plumbing Code. Deviations from the Appendix D temperatures shall be permitted to reflect local climates or local weather experience as determined by the building official. [Also see Figure R301.2(1).]
- f. The jurisdiction shall fill in this part of the table with the seismic design category determined from Section R301.2.2.1.
- g. The jurisdiction shall fill in this part of the table with (a) the date of the jurisdictions' entry into the National Flood Insurance Program (dated of adoption of the fires code or ordinance for management of flood hazard areas), (b) the date(s) of the Flood Insurance Study and the (c) the panel numbers and dates of the currently effective FIRM' and FBFMs or other flood hazard map adopted by the authority having jurisdiction, as amended.
- h. In accordance with Sections R905.1.2, R905.4.3.1, R905.5.3.1m R905.6.3.1, R905.7.3.1 and R905.8.3.1, where there has been a history of local damage from the effects of ice damming, the jurisdiction shall fill in this part of the table with "YES." Otherwise the jurisdiction shall fill in this part of the table with "NO."
- i. The jurisdiction shall fill in this part of the table with the 100-year return period air freezing index (FG-days) from Figure R403.3(2) or from the 100-year (99 percent) value on the National Climatic Data Center data table "Air Freezing Index-USA Method (Base 320 F)."
- j. The jurisdiction shall fill in this part of the table with the mean annual temperature from the National Climatic Data Center data table "Air Freezing Index-USA Method (Base 320 F)."
- k. In accordance with Section R301.2.1.5, where there is local historical data documenting structural damage to buildings due to topographic wind speed-up effects, the jurisdiction shall fill in this part of the table with "YES." Otherwise, the jurisdiction shall indicate "NO" in this part of the table.
- I. In accordance with Figure R301.2(5) A, where there are local historical data documenting unusual wind conditions, the jurisdiction shall fill in the part of the table with "YES" and identify any specific requirements. Otherwise, the jurisdiction shall indicate "NO" in this part of the table.
- m. In accordance with Section R301.2.1.2 the jurisdiction shall indicate the wind-borne debris wind zones(s). Otherwise, the jurisdiction shall indicate "NO" in this part of the table
- n. The jurisdiction shall fill in these sections of the table to establish the design criteria using Table 1a or 1b form ACCA Manual J or established criteria determined by the jurisdiction.
- n. The jurisdiction shall fill in this section of the table using the Ground Snow Loads.

Justification: In order for this document to be adopted. The compl be a part of it. The deleted sentence is not required as the amendm section rather than providing data.	
Cost Impact: No cost impact.	
Approved in previous 2018 Code Adoption process:	YES NO
ACTION TAKEN:	
ACTION TAKEN: 2024 Code Committee	Date: 01/24/2025
	Date: 01/24/2025 No action taken
2024 Code Committee	_
2024 Code Committee ☑ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
2024 Code Committee ☐ Approved as submitted ☐ Modified and approved ☐ Denied Development Advisory Board (DAB) Subcommittee	No action taken Date: 3/20/2025
2024 Code Committee ☑ Approved as submitted ☐ Modified and approved ☐ Denied Development Advisory Board (DAB) Subcommittee ☑ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken Date: 3/20/2025 ☐ No action taken
2024 Code Committee ☑ Approved as submitted ☐ Modified and approved ☐ Denied Development Advisory Board (DAB) Subcommittee ☑ Approved as submitted ☐ Modified and approved ☐ Denied Development Advisory Board (DAB)	☐ No action taken Date: 3/20/2025 ☐ No action taken Date:
2024 Code Committee	☐ No action taken Date: 3/20/2025 ☐ No action taken Date: ☐ No action taken
2024 Code Committee ☐ Approved as submitted ☐ Modified and approved ☐ Denied Development Advisory Board (DAB) Subcommittee ☐ Approved as submitted ☐ Modified and approved ☐ Denied Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied Transportation, Infrastructure and Planning Subcommittee	☐ No action taken Date: 3/20/2025 ☐ No action taken Date: ☐ No action taken Date:



Amendment to 2024 International Residential Code (IRC) Section R301.2.4 Submitted by: International Residential Code Committee

R301.2.4 Floodplain construction

Buildings and structures constructed in whole or in part in flood hazard areas-as established in Table R301.2, and substantial improvement and repair of substantial damage of buildings and structures in whole or in part in flood hazard areas, shall be designed and constructed in accordance with Section R306. Chapter 32B of the Phoenix City Code. Buildings and structures that are located in more than one flood hazard area, including A Zones, coastal A Zones and V Zones, shall comply with the provisions associated with the most restrictive flood hazard area. Building and structures located in whole or in part in identified floodways shall be designed and constructed in accordance with ASCE 24.

R301.2.4.1 Alternative provisions.

As an alternative to the requirements in Section R306, ASCE 24 is permitted subject to the limitations of this code and limitations therein.

Justification: The city's floodplain ordinance is contained in Chapter 32B of the Phoenix city code.
Cost Impact: No cost impact. Current city code requirements are in place.
Approved in previous 2018 Code Adoption process:
ACTION TAKEN:
2024 Code Committee Date: 01/16/2025
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025
Development Advisory Board (DAB) Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken
Transportation, Infrastructure and Planning Subcommittee Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken
City Council Action Date:
Approved as submitted Modified and approved Denied No action taken



City Council Action

Approved as submitted Modified and approved Denied

BUILDING CONSTRUCTION CODE CHANGE PROPOSAL

Amendment to 2024 International Residential Code (IRC) **Section Table R301.5** Submitted by: International Residential Code Committee **Table R301.5** MINIMUM UNIFORMLY DISTRIBUTED LIVE LOADS (in pounds per square foot) LIVE LOAD Habitable attics and attics served with fixed 30 40 stairs Sleeping rooms 30 <u>40</u> Justification: Habitable attics and sleeping rooms can be used as floor space and 40 psf more closely reflects floor live loading. The code change reflects the changes made to the 2018 IBC and is recommended by the Structural Sub-Committee. Cost Impact: Minimal cost impact. **⊠** YES **Approved in previous 2018 Code Adoption process:** NO **ACTION TAKEN:** Date: 01/16/2025 2024 Code Committee \bowtie Approved as submitted \square Modified and approved \square Denied ☐ No action taken **Development Advisory Board (DAB) Subcommittee** Date: 3/20/2025 Approved as submitted Modified and approved Denied No action taken **Development Advisory Board (DAB)** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken **Transportation, Infrastructure and Planning Subcommittee** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken

Date:

☐ No action taken



Amendment to 2024 International Residential Code (IRC) Section R302.2
Submitted by: International Residential Code Committee
R302.2 Townhouses. Walls separating <i>townhouse units</i> shall be constructed in accordance with Section R302.2.1 or R302.2.2 and shall comply with Sections R302.2.3 through R302.2.5. No plumbing, mechanical, electrical, piping, or other services in any form are allowed to traverse from one side to the other side of the wall or walls separating <i>townhouse units</i> .
Justification: Townhouse units, as defined in this code, extend from the foundation to the roof. Townhouses do not have ownership agreements between unit owners for common spaces and elements, like condominiums are required to per Arizona state law. This requires the code to regulate their independent functioning with respect to utilities and structural independence, so that one neighbor does not impair the ability of the other to be able to use their fully functioning property. Fire sprinkler piping and electrical installations are allowed within the common wall framing cavity, so long as they only serve the same-side unit, for the same ownership reasons as discussed above.
Cost Impact: Minimal cost impact. Services will have to be delivered individually to each townhouse unit.
Approved in previous 2018 Code Adoption process:
ACTION TAKEN:
2024 Code Committee Date: 02/12/2025
Approved as submitted Modified and approved Denied No action taken
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025
Approved as submitted Modified and approved Denied No action taken
Development Advisory Board (DAB) Date:
Approved as submitted Modified and approved Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date:
Approved as submitted Modified and approved Denied No action taken
City Council Action Date:
Approved as submitted Modified and approved Denied Do action taken



Amendment to 2024 International Residential Code (IRC) Section R302.2.6

Submitted by: International Residential Code Committee

R302.2.6 Structural independence. Each townhouse *unit* shall be structurally independent. **Exceptions:**

- 1. Foundations supporting exterior walls, or common walls.
- 2. Structural roof and wall sheathing from each unit <u>not exceeding 3/4" thickness</u> fastened to the common wall framing.
- 3. Nonstructural wall and roof coverings.
- 4. Flashing at termination of *roof covering* over common wall.
- 5. Townhouse units separated by a common wall as provided in Section R302.2.2, Item 1 or 2.
- 6. Townhouse units protected by an automatic sprinkler system complying with Section P2904 or NFPA 13D.

Justification: Unlike in the International Building Code, there is no maximum size to structures built to the IRC, as such the separation of the units under fire conditions are very important to stop a fire in one unit from spreading to all the units and causing the entire unlimited sized townhouse from being lost.

Note that the townhouse units themselves have no required fire-resistance, just the wall between them. The point of structural independence is so that common walls function so that a fire in one unit causing structural collapse of that unit does not cause the structural collapse of the common wall, as such these walls should not serve as gravity load bearing walls. Doing so greatly increases the chances of the wall being pulled down from one unit collapsing. Gravity framing will have large resistance to vertical failure at the plane of the wall, unlike sheathing. Exceptions 5 and 6 are removed to reinforce this functioning. Exception 2 remains such that the common walls can still be used as braced walls. The ¾" thickness maximum is taken from the exception to IBC Section 706.2 for fire walls that allow floor and roof sheathing to cross the fire wall. This maximum dimension is necessary to restrict the maximum strength of the sheathing, so that it can fail on the fire side during a fire without pulling down the common wall.

Cost Impact: Minimal cost impact. Framing cannot bear on common walls.		
Approved in previous 2018 Code Adoption process:	YES NO	
ACTION TAKEN:		
2024 Code Committee	Date: 02/12/2025	
$oxed{oxed}$ Approved as submitted $oxed{oxed}$ Modified and approved $oxed{oxed}$ Denied	☐ No action taken	
Development Advisory Board (DAB) Subcommittee	Date: 3/20/2025	
\boxtimes Approved as submitted \square Modified and approved \square Denied	☐ No action taken	
Development Advisory Board (DAB)	Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken	

Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
City Council Action	Dale.



Amendment to 2024 International Residential Code (IRC) Section R302.5.1			
Submitted by: International Residential Code Committee			
R302.5.1 Opening protection. Openings from a private garage or carport directly into a room used for sleeping purposes or a hallway that only accesses sleeping room(s) shall not be permitted. Other openings between the garage or carport and dwelling unit shall be equipped with solid wood doors not less than 1 3/8 inches (35 mm) in thickness, solid or honeycomb-core steel doors not less than 1 3/8 inches (35 mm) thick, or 20-minute fire-rated door or windows. Doors shall be self-latching and equipped with a self-closing or automatic-closing device.			
Justification: Whether a garage or carport, the rooms used for sleeping purposes should be protected from the hazard inherent in this use. Industry is supportive of the self-closing provisions to provide an additional level of safety.			
Cost Impact: Minimal cost impact.			
Approved in previous 2018 Code Adoption process: ☐ YES ☐ NO			
ACTION TAKEN:			
2024 Code Committee Date: 01/16/2025			
Approved as submitted Modified and approved Denied No action taken			
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025			
Approved as submitted Modified and approved Denied No action taken			
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken			
Transportation, Infrastructure and Planning Subcommittee Date:			
Approved as submitted Modified and approved Denied No action taken			
City Council Action Date:			
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken			



Amendment to 2024 International Residential Code (IRC) Section R309

Submitted by: International Residential Code Committee

SECTION R309 AUTOMATIC SPRINKLER SYSTEMS

R309.1 Townhouse automatic sprinkler systems.

Other than where preempted by Arizona State Law, an automatic sprinkler system shall be installed in townhouses.

Exception: An automatic sprinkler system shall not be required where additions or alterations are made to existing townhouses that do not have an automatic sprinkler system installed when not required in accordance with the Phoenix Fire Code.

R309.1.1 Design and Installation. Automatic sprinkler systems for townhouses shall be designed and installed in accordance with Section P2904 or NFPA 13D.

R309.2 One- and two-family dwellings automatic sprinkler systems.

Other than where preempted by Arizona State Law, an automatic sprinkler system shall be installed in one- and two-family dwellings.

Exception: An automatic sprinkler system shall not be required for *additions* or *alterations* to existing buildings that are not already provided with a sprinkler system when not required in accordance with the Phoenix Fire Code.

R309.2.1 Design and Installation. Automatic sprinkler systems shall be designed and installed in accordance with Section P2904 or NFPA 13D.

Justification: The Phoenix Fire Code has provisions brought in with the Bret Tarver Sprinkler Ordinance for when fire sprinklers are required that is more conservative than base code. See Section 903 of the Phoenix Fire Code.

Arizona Revised Statutes (A.R.S.) 9-807 prohibits municipalities from requiring sprinklers in oneand two-family dwellings but allowed Bret Tarver to do so, due to the age of the Bret Tarver ordinance.

The newly adopted Arizona Revised Statute (A.R.S.) 9-462.13 has been interpreted at this time to disallow requiring an automatic sprinkler system for all structures containing up to four dwelling units and all townhomes. With the potential for this law to be altered or clarified, the

provisions for fire sprinklers are not removed from the code but are specifically pointing the user to the likelihood of state preemption for their requirement. Where preempted, sprinklers are not required.				
Cost Impact: Minimal cost impact. Where state law disallows the requirement for fire sprinklers, there will be a cost reduction.				
Approved in previous 2018 Code Adoption process: YES NO				

ACTION TAKEN:	
2024 Code Committee	Date: 1/17/2025
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025	
Approved as submitted Modified and approved Denied	☐ No action taken
Development Advisory Board (DAB)	Date:
Approved as submitted Modified and approved Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendment to 2024 International Residential Code (IRC) Section R319.4.4	
Submitted by: International Residential Code Committee	
R319.4.4 Bars, grilles, covers and screens.	
Where bars, grilles, covers, screens or similar devices are placed over <i>emergency escape and rescue openings</i> , bulkhead enclosures or area wells that serve such openings, the minimum net clear opening size shall comply with sections R319.2.1 through R319.2.2 and R319.4.1. Such devices shall be releasable or removable from the inside without the use of a key or tool or <u>special knowledge</u> or force greater than that required for the normal operation of the escape and rescue opening. The dwelling shall be equipped with smoke alarms installed in accordance with <u>Section R310.</u>	
Justification: Retains current requirements for smoke detectors when quick release security bars over bedroom windows are installed. Carryover.	
Cost Impact: Minimal cost impact.	
Approved in previous 2018 Code Adoption process:	
ACTION TAKEN:	
2024 Code Committee Date: 01/24/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	
Approved as submitted Modified and approved Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date:	
Approved as submitted Modified and approved Denied No action taken	
City Council Action Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	



Amendment to 2024 International Residential Code (IRC) Section R325.8 Submitted by: International Residential Code Committee R325.8 - Required heating and cooling. Where the winter design temperature in table R301.2 is below 60° F (16° C), every dwelling unit Interior spaces intended for human occupancy shall be provided with heating and cooling facilities capable of maintaining a room temperature of not less than 68° F (20°C) between 70°F (21°C) and 82°F (28°C) (if cooled by air conditioning, and 86°F (30°C) if cooled by evaporative cooling), measured at a point 3 feet (914mm) above the floor in the center of the room. and 2 feet (610 mm) from the exterior walls in habitable rooms at the design temperature. The installation of one more portable space heaters or portable space coolers shall not be used to achieve compliance with this section. Justification: This amendment requires newly constructed buildings to comply with City of Phoenix Neighborhood Preservation Ordinance Sec. 39-5(B)(1)(b), which deals with buildings that are rented. All newly constructed buildings may be rented at some point in their life. Cost Impact: Significant cost impact; this amendment requires cooling in all interior spaces intended for human occupancy, which the base code does not. **Approved in previous 2018 Code Adoption process: ⊠** YES NO **ACTION TAKEN:** Date: 2/28/2025 2024 Code Committee Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board (DAB) Subcommittee** Date: 3/20/2025 Approved as submitted Modified and approved Denied No action taken **Development Advisory Board (DAB)** Date: Approved as submitted Modified and approved Denied ☐ No action taken **Transportation, Infrastructure and Planning Subcommittee** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken **City Council Action** Date: ☐ No action taken ☐ Approved as submitted ☐ Modified and approved ☐ Denied



Amendment to 2024 International Residential Code (IRC) Section R333

Submitted by: International Residential Code Committee

R333 Fireplace Restrictions

R333.1 Definitions.

For the purpose of this section, the following words and terms shall be defined as follows:

FIREPLACE: A built-in-place masonry hearth and fire chamber or a factory-built appliance, designed to burn solid fuel or to accommodate gas or electric log insert or similar device, and which is intended for occasional recreational or aesthetic use, not for cooking, heating, or industrial processes.

SOLID FUEL: Includes but is not limited to, wood, coal, or other non-gaseous or non-liquid fuels, including those fuels defined by the Maricopa County Air Pollution Control Officer as "inappropriate fuel" to burn in residential wood burning devises.

WOOD STOVE: A solid fuel burning heating appliance including a pellet stove, which is either freestanding or designed to be inserted into a fireplace.

R333.2 General.

In accordance with the City of Phoenix Council adopted Ordinance G-4062, on or after December 31, 1998, no person, firm or corporation shall construct or install a fireplace or a wood stove, and the Building Official shall not approve or issue a permit to construct or install a fireplace or a wood stove, unless the fireplace or wood stove complies with one of the following.

- 1. A fireplace which has a permanently installed gas or electric log insert.
- 2. A fireplace, wood stove or other solid burning appliance which has been certified by the United States Environmental Protection Agency as conforming to 40 Code of Federal Regulations part 60, subpart AAA.
- 3. A fireplace, wood stove or other solid fuel burning appliance that has been tested and listed by a nationally recognized testing agency to meet performance standards equivalent to those adopted by 40 Code of Federal Regulations part 60, subpart AAA.
- 4. A fireplace, wood stove or other solid fuel burning appliance which has been determined by the Maricopa County Air Pollution Control Officer to meet performance standards equivalent to those adopted by 40 Code of Federal Regulations part 60, subpart AAA, as in effect on July 1, 1990.
- 5. A fireplace which has a permanently installed wood stove insert which complies with subparagraph 2, 3, or 4 above.

Exceptions: The following installations are not regulated and are not prohibited by this section:

- 1. <u>Furnaces, boilers, incinerators, kilns, and other similar space heating or industrial process equipment.</u>
- 2. Cook stoves, barbecue grills, and similar appliances designed primarily for cooking.
- 3. Fire pits, barbecue grills, and other outdoor fireplaces.

R333.3 Fireplace or wood stove alterations prohibited.			
Fireplaces constructed or installed on or after December 31, 1998, that contain a gas or electric log insert or a wood stove insert, shall not be altered to directly burn wood or any other solid fuel. On or after December 31, 1998, no person, firm, or corporation shall alter a fireplace, wood stove, or other solid fuel burning appliance in any manner that would void its certification or operational compliance with the provisions of this section. Fireplaces constructed or installed on or after December 31, 1998, shall not be altered without first obtaining a permit from the City to ensure compliance with this section.			
mot obtaining a pointit from the Oity to chear o compliantoo than the cocaon.			
Justification: This amendment is included to comply with Chapter 40 of the Phoenix City Code and with Maricopa County Air Pollution Control regulations.			
Cost Impact: No cost impact. Matches existing regulations.			
Approved in previous 2018 Code Adoption process:			
ACTION TAKEN:			
2024 Code Committee Date: 01/15/2025			
Approved as submitted Modified and approved Denied No action taken			
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025			
Approved as submitted Modified and approved Denied No action taken			
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken			
Transportation, Infrastructure and Planning Subcommittee Date:			
Approved as submitted Modified and approved Denied No action taken			
City Council Action Date:			
Approved as submitted Modified and approved Denied No action taken			



BUILDING CONSTRUCTION CODE CHANGE PROPOSAL	
Amendment to 2024 International Residential Code (IRC)	
Section R401.4.1	
Submitted by: International Residential Code Committee	
R401.4.1 Geotechnical evaluation. In lieu of a complete geotechnical evaluation, the presumptive load-bearing values in Table R401.4.1(1) and the soil classifications in Table R401.4.1(2) shall be assumed for undisturbed supporting soils near the surface when approved by the building official.	
Presumptive load-bearing values shall apply to materials with similar physical and engineering characteristics. Mud, organic silt and organic clays, peat, disturbed soils and undocumented fill shall not be assumed to have a presumptive load-bearing capacity unless data to substantiate the use of such a value are submitted.	
Justification: This amendment is intended to further assist the design community in clarifying when a geotechnical evaluation is required. Unprepared fill materials, disturbed soils, mud, muck, peat, organic silt and soft clays have no presumptive load-bearing capacity without soil tests. Authorization for construction on these exceptionally weak soils should be provided by a geotechnical engineer.	
Table R401.4.1(2) is intended as a guide to aid soil classification when that is not done as part of a full geotechnical report. Indicating that the designer is required to assume a soil classification is dangerous to the property without any type of soil knowledge being present. The Table should be used as a guide when already knowing the local soil expansion and collapse potential along with the soil particle size distribution.	
Cost Impact: Minimal cost impact. The cost of a geotechnical evaluation and testing is minimal when compared to the cost of repairs for foundation failures that may occur as a result of structures being supported on weak soils. Soil testing for particle size distribution alone to classify the soil is quite cheap when you bring a	
small soil sample into a laboratory, at approximately \$30, however many soil testing companies that aren't just laboratories will attempt to sell the customer an entire geotechnical investigation, and that is much more expensive.	
Approved in previous 2018 Code Adoption process:	
ACTION TAKEN:	
2024 Code Committee Date: 1/24/2025	
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	

Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
City Council Action	Dale.



Amendment to 2024 International Residential Code (IRC) Section 403.1	
Submitted by: International Residential Code Committee	
R403.1 General	
All exterior walls shall be supported on continuous solid or fully grouted masonry or concrete footings, crushed stone footings, wood foundations, or other <i>approved</i> structural systems that shall be of sufficient design to accommodate all loads according to Section R301and to transmit the resulting loads to the soil within the limitations as determined from the character of the soil. Footings shall be supported on undisturbed natural soils or engineered fill. Concrete footing shall be designed and constructed in accordance with the provisions of Section R403 or in accordance with ACI 332.	
Exception : For enclosure of existing carport and patio covers, non-bearing wood framed exterior walls within the projection of the existing roof may be supported on an existing, uncracked concrete slab. The minimum slab thickness shall be 3.5 inches and the construction shall comply with the requirements of R304 for protection against decay.	
Justification: This will allow enclosure of existing covered areas without requiring construction of a new footing. The only loads on the base of the wall are lateral loads from wind, which can be resisted by existing slab.	
Cost Impact: Minimal cost impact. Reduce cost for carport and patio enclosures.	
Approved in previous 2018 Code Adoption process: ☐ YES ☐ NO	
ACTION TAKEN:	
2024 Code Committee Date: 01/16/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	
Transportation, Infrastructure and Planning Subcommittee Date:	
Approved as submitted Modified and approved Denied No action taken	
City Council Action Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	



Amendment to 2024 International Residential Code (IRC) Section R502.3.1 Submitted by: International Residential Code Committee R502.3.1 Sleeping areas and attic joists. Table R502.3.1(4 2) shall be used to determine the maximum allowable span of floor joists that support sleeping areas and attics that are accessed by means of a fixed stairway in accordance with Section R318.7 provided that the design live load does not exceed 30 40 pounds per square foot (1.44-1.92 kPa) and the design dead load does not exceed 20 pounds per square foot (0.96 kPa). The allowable span of ceiling joists that support attics used for limited storage or no storage shall be determined in accordance with Section R802.5. Justification: This will coordinate the required design table with the proposed amendment to Table R301.5 for live loads in sleeping areas. **Cost Impact:** Minimal cost impact. **Approved in previous 2018 Code Adoption process: ⊠** YES NO **ACTION TAKEN:** 2024 Code Committee Date: 01/23/2025 Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board (DAB) Subcommittee** Date: 3/20/2025 Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board (DAB)** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied No action taken Transportation, Infrastructure and Planning Subcommittee Date: Approved as submitted Modified and approved Denied ☐ No action taken **City Council Action** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken



Amendment to 2024 International Residential Code (IRC) Section R606.12 Submitted by: International Residential Code Committee **R606.12 Seismic requirements** All new masonry elements shall meet the minimum reinforcing requirements of R606.12.2.2.3, R606.12.2.3.2 and R606.12.2.3.3. In addition, the seismic requirements of this section shall apply to the design of masonry and the construction of masonry building elements located in Seismic Design Category D0, D1, or D2. Townhouses in Seismic Design Category C shall comply with the requirements of Section R606.12.2. These requirements shall not apply to glass unit masonry conforming to Section R607, anchored masonry veneer conforming to Section R703.8 or adhered masonry veneer conforming to Section R703.12. Justification: This will require minimum reinforcing in all new masonry construction. This reinforcing has been required in previous editions of the Phoenix Construction Code at the recommendation of the Structural Engineers Association of Arizona as an inexpensive way to significantly increase the safety of masonry construction. The code change reflects the changes made to the 2018 IBC and is recommended by the Structural Sub-Committee. **Cost Impact:** Minimal cost impact **Approved in previous 2018 Code Adoption process: ⊠** YES NO. **ACTION TAKEN:** 2024 Code Committee Date: 01/16/2025 Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board (DAB) Subcommittee** Date: 3/20/2025 Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board (DAB)** Date: Approved as submitted Modified and approved Denied ☐ No action taken **Transportation, Infrastructure and Planning Subcommittee** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied No action taken **City Council Action** Date: ☐ No action taken ☐ Approved as submitted ☐ Modified and approved ☐ Denied



Amendment to 2024 International Residential Code (IRC) Section E3704.7	
Submitted by: International Residential Code Committee	
E3704.7 Townhouses	
Feeders supplying townhouse units shall not pass underneath, through, or above other townhouse units.	
Justification: Added feeders for townhouses to clarify and to include the intent of the section. Individually owned townhouse units create logistical challenges as it relates to access, service of equipment, repairs, fires, remodels, etc. that significantly impact the electrical supply for other units.	
Cost Impact: No cost impact.	
Approved in previous 2018 Code Adoption process:	
ACTION TAKEN:	
2024 Code Committee Date: 01/16/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) Subcommittee Date: 03/20/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	
Transportation, Infrastructure and Planning Subcommittee Date:	
Approved as submitted Modified and approved Denied No action taken	
City Council Action Date:	
Approved as submitted Modified and approved Denied No action taken	



BUILDING CONSTRUCTION CODE CHANGE PROPOSAL	
Amendment to 2024 International Residential Code (IRC) Section E3901.9	
Submitted by: International Residential Code Committee	
E3901.9 Basements, garages and accessory buildings. Not less than one receptacle outlet, in addition to any provided for specific equipment, shall be installed in each separate unfinished portion of a basement; in each vehicle bay <u>at not less than (18) inches (457 mm)</u> and not more than 5.5 feet (1676 mm) above the floor in attached garages; in each vehicle bay <u>at not less than (18) inches (457 mm) and</u> not more than 5.5 feet (1676 mm) above the floor in detached garages that are provided with electric power and in accessory buildings that are provided with electric power. [210.52(G)(1), (2), and (3)]	
Justification: 2024 IRC Section G2408.2 (305.3) Elevation of ignition source. This section states that Equipment and appliances having an ignition source shall be elevated such that the source of the ignition is not less than 18 inches (457 mm) above the floor in hazardous locations and public garages, private garages, repair garages, motor fuel dispensing facilities and parking garages. Many private/dwelling garages are utilized to work on vehicles or other equipment that contain volatile fuels or other liquids and gases. Other jurisdictions around the United States have amended this section of NEC article 210.52 to address this situation. The receptacles outlets, if installed below the 18 inches, could possibly become an ignition source which could cause fire, property damage, injury, or death if these volatile liquids or gases are present. This proposed amendment to the 2024 IRC is to mirror the proposed amendment to the 2023 NEC article 210.52(G)(1), which has been voted on by the 2023 NEC code adoption committee. The 2024 NEC code adoption committee voted to accept the amendment as written to add the minimum receptacle height.	
Cost Impact: No cost impact. Receptacle outlets are required in the dwelling garages as per the NEC and IRC. All wiring and associated electrical equipment do not change from the NEC and IRC standard requirement.	
Approved in previous 2018 Code Adoption process:	
ACTION TAKEN:	
2024 Code Committee Date: 1/29/2025	
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Subcommittee Date: 3/20/2025	
Approved as submitted Modified and approved Denied No action taken	
Development Advisory Board (DAB) Date:	
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken	
Transportation, Infrastructure and Planning Subcommittee Date:	
Approved as submitted Modified and approved Denied No action taken	
City Council Action Date:	
Approved as submitted Modified and approved Denied No action taken	



Amendment to 2024 International Residential Code (IRC) Section E3908.9		
Submitted by: International Residential Code Committee		
E3908.9 Types of Equipment Grounding Conductors. The equipment grounding conductor run with or enclosing the circuit conductors shall be one or more or a combination of the following:		
(4) Electrical metallic tubing with an additional equipment grounding conductor.		
Justification: This amendment requires that specific wiring methods include an individual equipment-grounding conductor. This amendment is more restrictive than the NEC, but provides for a higher degree of equipment grounding safety. The intent of the amendment is to supplement the low impedance path to ground and to attain reasonable compliance with requirements for the performance of the fault current path.		
Cost Impact: Minor increase. Cost due to additional grounding conductor.		
Approved in previous 2018 Code Adoption process:		
ACTION TAKEN:		
2024 Code Committee Date: 11/21/2024		
Approved as submitted Modified and approved Denied No action taken		
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025		
Approved as submitted Modified and approved Denied No action taken Development Advisory Board (DAB) Date:		
Development Advisory Board (DAB) ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken		
Transportation, Infrastructure and Planning Subcommittee Date:		
Approved as submitted Modified and approved Denied No action taken		
City Council Action Date:		
Approved as submitted Modified and approved Denied No action taken		



Amendment to 2024 International Residential Code (IRC) Section N1104.1.5		
Submitted by: International Residential Code Committee		
N1104.1.5 (R404.1.5) Gas lighting. Gas-fired lighting appliances shall not be equipped with a continuous pilot and shall be equipped with an on-demand pilot, Intermittent ignition or interrupted ignition as defined be ANSI Z21.20.		
Justification: These products as described are not currently readily available, nor are they popular in our jurisdiction.		
The gas piping systems for this installation are complex and expensive to install already. These requirements would dramatically drive up the cost of the devices if chosen to be installed.		
This is not a building safety issue and as such should be optional for the homeowner/builder if they desire to mitigate the cost of operation over the life of the system.		
Cost Impact: No Cost Impact		
Approved in previous 2018 Code Adoption process: ☐ YES ☒ NO		
ACTION TAKEN:		
2024 Code Committee Date: 01/24/2025		
Approved as submitted Modified and approved Denied No action taken		
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025 ☑ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken		
Development Advisory Board (DAB) Date:		
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken		
Transportation, Infrastructure and Planning Subcommittee Date:		
Approved as submitted Modified and approved Denied No action taken		
City Council Action Date:		
Approved as submitted Modified and approved Denied No action taken		



Amendment to 2024 International Residential Code (IRC) Section N1104.2 – N1104.3.1

Submitted by: International Residential Code Committee

N1104.2 (R404.2) Interior lighting controls.

All permanently installed luminaires shall be controlled as required in Sections N1104.2.1 and N1104.2.2.

Exception: Lighting controls shall not be required for safety or security lighting.

N1104.2.1 (R404.2.1) Habitable spaces.

All permanently installed luminaires in habitable spaces shall be controlled with a manual dimmer or with an automatic shutoff control that automatically turns off lights within 20 minutes after all occupants have left the space and shall incorporate a manual control to allow occupants to turn the lights on or off.

N1104.2.2 (R404.2.2) Specific locations.

All permanently installed luminaires in garages, unfinished basements, laundry rooms and utility rooms shall be controlled by an automatic shutoff control that automatically turns off lights within 20 minutes after all occupants have left the space and shall incorporate a manual control to allow occupants to turn the lights on or off.

N1104.3 (R404.3) Exterior lighting controls.

Exterior lighting controls shall comply with Section N1104.3.1.

N1104.3.1 (R404.3.1) Controls for individual dwelling units.

Where the total permanently installed exterior lighting power is greater than 30 watts, the permanently installed exterior lighting shall comply with the following:

- 1.Lighting shall be controlled by a manual on and off switch that permits automatic shutoff actions.
- 2.Lighting shall be automatically shut off when daylight is present and satisfies the lighting needs.
- 3. Controls that override automatic shutoff actions shall not be allowed unless the override automatically returns automatic control to its normal operation within 24 hours.

Justification: Not all commercially available residential lights are dimmable and installing motion sensors poses safety concerns with lights going off unexpectedly, such as in bathrooms, garages, laundry rooms etc., as it is typical with motion sensors if they are not installed with a high level of detailed attention paid due to the limited range and positioning of the sensor. To

achieve full range of motion sensor functionality, additional ceiling mounted sensors would be required to mitigate safety concerns especially in large spaces. These additional sensors are not readily available for residential applications, are expensive, difficult to install in a residential application, and can be finicky at best for the intended function of this code.

The exterior lighting requirements are difficult to achieve as these control products are not readily available in the current market. Systems that do exist are expensive and complicated to install, driving up costs overall. Most commercially available residential exterior lights are already equipped with photocells, which shut the light of when daylight is sensed automatically, meeting most of the intent of this section of this code already. Additionally, most commercially available security lights contain photocells AND motion sensor capabilities.

Manufacturing of incandescent lighting has not been allowed for some time now, and new/old stocks is dwindling by the day if one can even source them anymore. The Other portions of this code make the installation of incandescent lighting next to impossible to install and comply. With the code requirements for high efficiency lighting, combined with required high efficiency lighting manufacturing requirements, the market is saturated with these efficient products vastly reducing energy consumption on a large scale in alignment with the intent of this code. Implementing these code requirements proposed to strike, will not drastically increase the desired consumption reduction in any measurable way. The increased safety hazards posed do not outweigh any potential energy savings which will be minimal at best while increasing costs significantly.

This section of the code, as written, is not a building safety concern and should be optional for any homeowner/builder to pursue to their heart and pocketbooks content

Cost Impact: No Cost Impact	
Approved in previous 2018 Code Adoption process:	YES 🛛 NO
ACTION TAKEN:	
2024 Code Committee	Date: 1/24/2025
	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 3/20/2025
	☐ No action taken
Development Advisory Board (DAB)	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendment to 2024 International Residential Code (IRC) Section P2903.2

Submitted by: International Residential Code Committee

P2903.2 Maximum flow and water consumption.

The maximum water consumption flow rates and quantities for plumbing fixtures and fixture fittings shall be in accordance with Table P2903.2.

TABLE P2903.2 MAXIMUM FLOW RATES AND CONSUMPTION FOR PLUMBING FIXTURES AND FIXTURE FITTINGS^b

PLUMBING FIXTURE OR FIXTURE	MAXIMUM FLOW RATE OR
FITTING	QUANTITY
Lavatory faucet	2.2 1.5 gpm at 60 psi
Shower head ^a	2.5 2.0 gpm at 80 psi
Sink faucet	2.2 1.5 gpm at 60 psi
Water closet	1.6 1.28 gallons per flushing cycle

For SI: 1 gallon per minute = 3.785 L/m, 1 pound per square inch = 6.895 kPa.

- a. A hand-held shower shall be considered to be a shower head.
- b. Consumption tolerances shall be determined from referenced standards.

Justification: Per Council Resolution 22129, "A Resolution Addressing the Future Water Consumption of New Development", Section 2.2.b.i., staff will propose updates to the Building Code for water efficiency standards that would be consistent with the water usage best practices. The proposed changes are consistent with the current EPA Water Sense standards. Cost Impact: No cost impact. These proposed fixture standards are consistent with most of the fixtures on the market. Approved in previous 2018 Code Adoption process: ☐ YES \bowtie NO **ACTION TAKEN:** 2024 Code Committee Date: 01/16/2025 Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board (DAB) Subcommittee** Date: 3/20/2025 Approved as submitted Modified and approved Denied ☐ No action taken **Development Advisory Board (DAB)** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken **Transportation, Infrastructure and Planning Subcommittee** Date: Approved as submitted Modified and approved Denied ☐ No action taken **City Council Action** Date: ☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken



Amendment to 2024 International Residential Code (IRC) Section P2904

Submitted by: International Residential Code Committee

SECTION P2904 DWELLING UNIT AUTOMATIC SPRINKLER SYSTEMS

P2904.1 General.

The design and installation of automatic sprinkler systems shall be in accordance with NFPA 13D or Section P2904, which shall be considered to be equivalent to NFPA 13D. the Phoenix Fire Code. Partial automatic sprinkler systems shall be permitted to be installed only in buildings not required to be equipped with an automatic sprinkler system. Section P2904 shall apply to stand-alone and multipurpose wet-pipe sprinkler systems that do not include the use of antifreeze. A multipurpose automatic sprinkler system shall provide domestic water to both fire sprinklers and plumbing fixtures. A stand-alone automatic sprinkler system shall be separate and independent from the water distribution system. A backflow preventer shall not be required to separate an automatic sprinkler system from the water distribution system, provided that the sprinkler system complies with all of the following:

- 1. The system complies with NFPA 13D or Section P2904.
- 2. The piping material complies with Section P2906.
- 3. The system does not contain antifreeze.
- 4. The system does not have a fire department connection.

DELETE ALL REMAINING SECTIONS OF P2904

Justification: Aligns with state law and Phoenix Fire Code for installation of automatic sprinkler systems. The IRC base code has many references to sprinkler installations that reference P2904 for installation. By amending P2904 to point to the Phoenix Fire Code, it is not necessary to amend all the other provisions containing references to P2904.

Cost Impact: No cost impact.	
Approved in previous 2018 Code Adoption process:	YES 🛛 NO
ACTION TAKEN:	
2024 Code Committee	Date: 01/16/2025
	☐ No action taken
Development Advisory Board (DAB) Subcommittee	Date: 3/20/2025
	☐ No action taken
Development Advisory Board (DAB)	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
Transportation, Infrastructure and Planning Subcommittee	Date:
☐ Approved as submitted ☐ Modified and approved ☐ Denied	☐ No action taken
City Council Action	Date:
Approved as submitted Modified and approved Denied	☐ No action taken



Amendment to 2024 International Residential Code (IRC) Appendix BA

Submitted by: International Residential Code Committee

Adopt Appendix BA and replace entire Appendix BA with the following text:

APPENDIX BA MANUFACTURED HOUSING USED AS DWELLINGS AND FACTORY BUILT BUILDINGS

BA101.1 General.

Factory-built buildings, manufactured homes and mobile homes shall comply with applicable laws of the State of Arizona and this code. The provisions of this section for factory-built buildings, manufactured homes and mobile homes take precedence over other code provisions which are inconsistent therewith. The general provisions of this code shall apply in all areas where there are not specific provisions in this section.

BA101.1.1 Arizona law.

The construction of factory-built buildings and manufactured homes is regulated by the State of Arizona, Arizona Revised Statutes ARS 41-4001 through ARS 41-4010 and is not included in this Code.

BA101.1.2 Factory-built building installation.

The installation of factory-built buildings, manufactured homes, and mobile homes including their foundations and direct connection to sewer, water, gas or electric utilities, is regulated by the State of Arizona and is not included in this code, except that a City of Phoenix On-Site Permit is required for compliance with Phoenix Zoning Ordinance requirements and with Building Code requirements pertaining to location on property and setback from other buildings or structures on the property. A City of Phoenix building permit is required for all on-site construction (except foundations) including connection to or alteration of existing on-site sewer, water, gas or electrical systems, and for construction of all site improvements required by the Phoenix Zoning Ordinance such as design review elements, signs, parking, landscaping, site amenities and disabled accessibility. Connection to a City water or sewer tap requires a separate permit from the Planning and Development Department.

BA101.1.3 Alterations and additions.

Repairs, alterations and site-built additions to factory-built buildings, mobile homes and manufactured homes are regulated by this code and by the Phoenix Zoning Ordinance and require City of Phoenix permits.

BA101.1.4 Occupancy and use.

Occupancy and use of a factory built-building, manufactured home or mobile home is prohibited without first obtaining inspection approval and a certificate of occupancy from the building official, to verify compliance with the Phoenix Zoning Ordinance and other applicable city codes and ordinances.

BA101.2 Definitions. For the purpose of this Section, the following definitions shall apply:

FACTORY BUILT BUILDING is a residential or non-residential building including a dwelling unit or habitable room thereof which is either wholly or in substantial part manufactured at an off-site location to be assembled on-site, except it does not include a manufactured home, recreational vehicle or mobile home.

MANUFACTURED HOME is a structure built in accordance with the National Manufactured Home Construction and Safety Standards Act.

MOBILE HOME is a structure built prior to June 15, 1976, on a permanent chassis, capable of being transported in one or more sections and designed to be used with or without a permanent foundation as a dwelling when connected to on-site utilities except that it does not include recreational vehicles or factory-built buildings.

ON-SITE PERMIT is the permit issued by the building official which authorizes the placement of a factory-built building, manufactured home or mobile home on a site. The on-site permit shall authorize only the placement, foundation or unit tie-down, and specific connections to utility services which are authorized by a permit issued by the State of Arizona Office of Manufactured Housing. All other work on the site shall require a building permit issued by the building official in accordance with Section 105 of this code. Connection to a City water or sewer tap requires a separate permit from the Planning and Development Department.

BA101.3 Installation requirements.

No factory-built building, manufactured home or mobile home shall be moved onto or installed on any lot or site in the City of Phoenix except in compliance with these provisions.

BA101.3.1 State insignia required.

No person, firm or corporation shall move onto any site any factory-built building or manufactured home building unless such building bears a current, valid insignia of approval of the State of Arizona.

BA101.3.2 State permit required.

No person, firm or corporation shall move onto any site any factory-built building, manufactured home or mobile home unless and until a permit for such installation has been obtained from the State of Arizona.

BA101.3.3 On-site permit required.

No person firm or corporation shall move onto any site, or relocate on any site, any factory built building, manufactured home or mobile home until an On-Site Permit has been issued by the City of Phoenix building official.

A site plan shall be submitted to the building official which shows all utility connections and all other information necessary to ascertain compliance with the separation and area restrictions of other sections of this code and with all provisions of the Phoenix Zoning Ordinance. If the building official is satisfied that the work described by the documents submitted conform to this section and other applicable law, the On-Site Permit shall be issued to the owner of the site or his authorized agent.

BA101.3.4 Building permit required.

The person, firm or corporation obtaining the On-Site Permit shall also apply for and obtain a building permit from the building official when one or more of the following conditions apply:

- 1. For all on-site construction which connects to or alters existing buildings or existing onsite sewer, water, gas or electrical systems.
- 2. For all on-site construction which is required by or regulated by the Phoenix Zoning Ordinance, such as for design review elements, signs, parking, landscaping, site amenities and accessibility.
- 3. For all construction or alteration which is not part of the State-approved factory-built building, manufactured home, or mobile home including all interior fit-up, tenant improvement or remodeling work which is not specifically included in such State permit.
- 4. When a City of Phoenix inspection is requested by the installer for work otherwise included in the State of Arizona installation permit, including but not limited to requests for utility clearance inspections.

BA101.4 Repairs, alterations, and additions.

No person shall repair, alter or add on to a factory-built building, manufactured home or a mobile home after the unit has been installed without first having obtained a permit from the building official for the specific work to be performed. All such work shall comply with the requirements of this Code.

BA101.5 Fire protection.

Factory-built buildings shall be protected pursuant to the Phoenix Fire Code.

Justification: Appendix BA Manufactured Housing Used as Dwellings does not address the State of Arizona having jurisdiction to regulate the construction of these buildings including manufactured housing used as dwellings. The City of Phoenix has worked extensively, and will continue to work, with the State of Arizona on the construction of these buildings. This is an existing amendment carrying forward.						
Cost Impact: No cost impact.						
Approved in previous 2018 Code Adoption process:						
ACTION TAKEN:						
2024 Code Committee Date: 01/15/2025						
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025						
Development Advisory Board (DAB) Date:						
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken						
Transportation, Infrastructure and Planning Subcommittee Date:						
☐ Approved as submitted ☐ Modified and approved ☐ Denied ☐ No action taken						
City Council Action Date:						
Approved as submitted Modified and approved Denied No action taken						



Amendment to 2024 International Residential Code (IRC) Appendix BB				
Submitted by: International Residential Code Committee				
Appendix BB, Section BB102-Definitions				
TINY HOUSE . A dwelling that is <u>no more than</u> 400 square feet (37 m2) <u>and no less than 200 square feet</u> (18.58 m2) or less in floor area excluding <i>lofts</i> .				
Justification: Referencing the Coconino County policies and to keep requirements uniform throughout the state.				
Cost Impact: No cost impact				
Approved in previous 2018 Code Adoption process:				
ACTION TAKEN:				
2024 Code Committee Date: 2/14/2025				
Development Advisory Board (DAB) Subcommittee Date: 3/20/2025				
Development Advisory Board (DAB) Date:				
Approved as submitted Modified and approved Denied No action taken				
Transportation, Infrastructure and Planning Subcommittee Date:				
Approved as submitted Modified and approved Denied No action taken				
City Council Action Date:				
Approved as submitted Modified and approved Denied No action taken				