



City of Phoenix

WATER SERVICES DEPARTMENT
ENVIRONMENTAL & SAFETY DIVISION
Quality Reliability Value

Mobile Food Vendor Grey Water/Wastewater Authorization/Disposal Form

Email the completed form to the Environmental & Safety Division at sewersmart@phoenix.gov or fax 602-534-7151. **Please allow 2-3 days for processing.**

Date of request: _____

Mobile Food Vendor Information

Business Name: _____ Email Address: _____

Address: _____ Phone #: _____

Grey Water/Wastewater Tank Capacity (Gallons) _____ How often will you be discharging greywater? _____

Owner / Manager: _____ Signature: _____

Commissary / Food Service Establishment Information

Business Name: _____ Email Address: _____

Address: _____ Phone #: _____

Size of Facility's Grease Interceptor _____ Frequency of Maintenance / Pumping _____

Service/Pumping Company Name: _____

Where will the Mobile Vendor dump their grey water (mop sink, cleanout, etc.)? _____

Do any other Mobile Vendors Use your facility as a commissary? Yes ☐ No ☐ If yes how many? _____

By signing I acknowledge that the above mentioned Mobile Food Vendor has permission to use our facility as a commissary.

Owner / Manager _____ Signature _____

Environmental & Safety Division Use Only:

☐ See Attachment(s)

This Commissary / Food Service Establishment ☐ Approved ☐ Denied for use as a Commissary by the City of Phoenix Water is Department Environmental & Safety Division.

Comments: _____

This Commissary / Food Service Establishment must maintain a minimum grease interceptor cleaning frequency of every _____ Days.

All gray water discharges from the Mobile Food Vendor must go to the food service establishments grease interceptor.

Failure to properly maintain or to intentionally bypass the grease interceptor will result in revocation of commissary status. The Environmental & Safety Division's permission to use the facility as a commissary only applies to grey water discharge to the City of Phoenix sewer.

Approved by: _____ Phone Number: _____

Signature: _____ Date: _____